We trust that readers are intelligent enough to realize that all text
herein consists of personal comments and does not represent the official
policies or positions of any party. Your mileage may vary. So there.

Date: Mon, 1 Feb 1993 12:02:34 GMT
From: usc!howland.reston.ans.net!paladin.american.edu!news.univie.ac.@!hp4at!
mcsun!sun4nl!star.cs.vu.nl!velschot@network.UCSD.EDU
Subject: amiga + packet
To: packet-radio@ucsd.edu

Hello netters.

short question here:

-can anybody tell what software best to use for packet on the Amiga?
-can anybody tell me who makes packet-hardware for the amiga?

oh, and if you CAN tell me, please also TELL me....

thanx!

```
Date: 1 Feb 93 09:07:40 CST
From: swrinde!zaphod.mps.ohio-state.edu!darwin.sura.net!ukma!
netnews.louisville.edu!wkuvx1!kallits@network.UCSD.EDU
Subject: BayPac problems
To: packet-radio@ucsd.edu

I recently purchased a BayPac Model BP-1 packet modem.  The
instructions are very vague on how to make the cables to interface the
modem with my HT.  I have tried all of the suggestions for other
models (Kenwood, Yeasu, etc.,...), but nothing works for my HT. I have
a Radio Shack HTX-202.  If anyone has any suggestions for this model
HT please e-mail me.  Any help will be greatly appreciated.


**********************************************************************
*                                                                    *
*  Tim Kallio                          Home: (502) 792-0100    *
*  P.O. Box U-8326 WKU                 Work: (502) 842-5551    *
*  Bowling Green, KY 42101             Ham Call:   KD4WBZ      *
*                                                                    *
**********************************************************************

------------------------------

Date: 1 Feb 93 15:06:05 GMT
From: news-mail-gateway@ucsd.edu
Subject: IP address co-ordinator in UK
To: packet-radio@ucsd.edu

Can anyone tell me the IP address co-ordinator for the UK
is? Particularly the Sheffield area, if it is split finer.
Thanks
JJ
:: Jon Jagger  J.Jagger@scp.ac.uk
:: Sheffield Hallam University, Pond Sreet, SHEFFIELD S1 1WB
:: Tel 0742 533802/432889 (work/home) Fax 0743 533840
:: Newspaper ad: Men wanted for expanding contracting company!

------------------------------

Date: Mon, 1 Feb 1993 15:32:57 GMT
From: usc!cs.utexas.edu!geraldo.cc.utexas.edu!portal.austin.ibm.com!
awdprime.austin.ibm.com!inetnode.austin.ibm.com!miltonm@network.UCSD.EDU
Subject: NOS et al questions and minor problems
To: packet-radio@ucsd.edu

In article <C1n04G.8LA@wang.com> djenkins@wang.com (Dave Jenkins) writes:
>I am running NOS (the version from the first week in January) with a BayPac
>TNC and the AX25.COM packet driver and I am just doing plain AX25 for now.
```

```
>
>1) When someone tries to connect to me, the only indication I get is that I see
>the connect request go by in the trace buffer.  There has GOT to be a better
>way.  Is there some way I can have it tell me that someone is trying to
>connect to me?

Turn jumpstart on... then they will drop into the mailbox (assuming you are
using JNOS or a GRI version).... from which they operator page to open a
session on your screen for keyboard qso.

>
>4) And, if I blow it typing the connect command and end up trying to connect
>to a non-existant node, the disconnect command has no effect (because I am
>not connected?).  How do I abort a connect request?
>
use the reset command to abort a session instead of issuing a normal close.

milton

<I work for my company, but only speak for myself>

------------------------------

End of Packet-Radio Digest V93 #31
*****************************
```